Author Index

ABE, S. see SHIJUBO, N. ADU, D. see GARNER, C.M. ADU, D. see PALL, A.A.

AGIOSTRATIDOU, G. see FACER, C.A. AGRAPART, M. see ROUSSILHON, C. AIDINIS, V. see GUIALIS, A.

AKAI, Y., IWANO, M., KITAMURA, Y., SHIIKI, H., DOHI, Y., DOHI, K., MORIYAMA, T. & YONEMASU, K. Intraglomerular expressions of IL-1α and platelet-derived growth factor (PDGF-B) mRNA in experimental immune complex-mediated glomerulonephritis, 29

AKBAR, A.N. see North, M.E. Allen, A. see Ronda, N. Allen, A.C. see Layward, L. Alon, R. see Hershkoviz, R.

AMEGLIO, F., CAPOBIANCHI, M.R., CASTILLETTI, C., CORDIALI FEI, P., FAIS, S., TRENTO, E. & DIANZANI, F. Recombinant gpl 20 induces IL-10 in resting peripheral blood mononuclear cells; correlation with the induction of other cytokines, 455

ARITA, C. see SAIKAWA, I. ARMBRUSTER, M. see HERBST, E.W.

ARVIEUX, J., ROUSSEL, B., PONARD, D. & COLOMB, M.G. IgG2 subclass restriction of anti- β_2 glycoprotein 1 antibodies in autoimmune patients, 310 ATKINS, R.C. see Lan, H.Y.

BAGNATO, G.F. see CESARE, E. DI

BAINTON, D.F. see CSERNOK, E. BALLET, J.J. see ROUSSILHON, C.

BANCHEREAU, J. see PEYRON, F.
BANIC, D.M., DELPLACE, P., MAZINGUE, C. & CAMUS, D. H-2^b restriction of the immune response to the p126 Plasmodium falcingrum antigen, 472.

BARBEY, C., TIERCY, J.M., FAIRWEATHER, N., NIEMANN, H., SEGER, R. & CORRADIN, G. Processing and presentation of tetanus toxin by antigen-presenting cells from patients with chronic granulomatous disease (CGD) to human specific T clones are not impaired, 227

Bartoccioni, E., Gallucci, S., Scuderi, F., Ricci, E., Servidei, S., Broccolini, A. & Tonali, P. MHC class I, MHC class II and intercellular adhesion molecule-1 (ICAM-1) expression in inflammatory myopathies, 166

BASKIN, B. see ISLAM, K.B.

BEAUVAIS, F., ECHASSERIEAU, K., BURTIN, C. & BENVENISTE, J. Regulation of human basophil activation; the role of Na⁺ and Ca²⁺ in IL-3-induced potentiation of IgE-mediated histamine release from human basophils, 191

BECKMAN, I. see FORSYTH, K.D. BEEKHUIZEN, H. see WANG, J. BELAL-KACEMI, L. see LOUZIR, H.

BELOSEVIC, M., FAUBERT, G.M. & DHARAMPAUL, S. Antimicrobial action of antibodi² gainst Giardia muris trophozoites, 485

BENHAMMOUDA, A. SEE SOUBRANE, CL. BENSUSSAN, A. SEE ROUSSILHON, C.

BENVENISTE, J. see BEAUVAIS, F. BERG, W.B. VAN DEN, JOOSTEN, L.A.B., HELSEN, M. & LOO, F.A.J. VAN DE. Amelioration of established murine collagen-induced arthritis with anti-IL-1 treatment, 237

Bergs, C. see Schneider, T. Beuche, W. see Mäder, M. Bizzari, J.P. see Soubrane, Cl. Björkander, J. see Friman, V.

BODMAN, K.B., HUTCHINGS, P.R., JEDDI, P.A., DELVES, P.J., ROOK, G.A.W., SUMAR, N., ROITT, I.M. & LYDYARD, P.M. IgG glycosylation in autoimmune-prone strains of mice. 103

BOIMORTO, R. see BUSTOS, A. BOREL, CH. see SOUBRANE, CL. BORTHWICK, N. see NORTH, M.E. BOYLE, L.A. see PANDOLFI, F. BRASSEUR, P. see ROUSSILHON, C.

BRIAND, J.P. see RICCHIUTI, V. BROCCOLINI, A. see BARTOCCIONI, E. BROEKROELOFS, J. see MULDER, A.H.L.

BROOM, J. see DEEHAN, D.J. BRYANT, A. see SCOTT, L.J. BURDIN, N. see PEYRON, F.

BURTIN, C. see BEAUVAIS, F. BUSCHER, H.-P. see HERBST, E.W.

BUSTOS, A., BOIMORTO, R., SUBIZA, J.L., PEREIRA, L.F., MARCO, M., FIGUEREDO, M.A. & CONCHA, E.G. DE LA. Inhibition of histone/antihistone reactivity by histone-binding serum components; differial effect on anti-H1 versus anti-H2B antibodies, 408

B' se N, K.A., VARIGOS, G.A. & WOOTTON, A.M. IL-4 production is crased in cigarette smokers, 333

CAMUN D. see BANIC, D.M. CAPGERA ICHI, M.R. see AMEGLIO, F. CASTILLET I, C. see AMEGLIO, F.

CESARE, E. DI, PREVITI, M., INGEMI, M.C., BAGNATO, G.F. & CUCI-NOTTA, D. High serum levels of soluble CD8 in insulin-dependent diabetes, 283

CHANG, L. see JENNINGS, J.G. CHIHARA, K. see KUROKI, Y.

CHOI, I., KANG, H.-S., YANG, Y. & PYUN, K.-H. IL-6 induces hepatic inflammation and collagen synthesis in vivo, 530

CHOWDHARY, R.K. see RATKAY, L.G. CHRISTENSSON, B. see ISLAM, K.B. CLAAS, F.H. J. see PRAAG, M.C.G. VAN

CLARK, R. see ROBBINS, K. COHEN, A. see MELAMED, I.

COLEBUNDERS, R.L. see KESTENS, L. COLLIN, M. see HERBEIN, G. COLOMB, M.G. see ARVIEUX, J. CONCHA, E.G. DE LA see BUSTOS, A.

CORDIALI FEI, P. see AMEGLIO, F. CORRADIN, G. see BARBEY, C. CROWE, S.M. see KENT, S.J.

CSERNOK, E., ERNST, M., SCHMITT, W., BAINTON, D.F. & GROSS, W.L. Activated neutrophils express proteinase 3 on their plasma membrane in vitro and in vivo, 244

CUCINOTTA, D. see CESARE, E. DI CZERKINSKY, C. see FRIMAN, V.

DAHA, M.R. see DOBBELSTEEN, M.E.A. VAN DEN

DAHA, M.R. see HAGEN, E.C. DANELL, G. see OEN, K.

DAVIS III, A.E. see SHOEMAKER, L.R.

DAY, N.K. see IWAI, H.

D'CRUZ, D.P. see ZAMAN, A.G.

Deehan, D.J., Heyes, S.D., Simpson, W., Herriot, R., Broom, J. & Erriot, O. Correlation of serum cytokine and acute phase reactant levels with alterations in weight and serum albumin in patients receiving immunotherapy with recombinant IL-2, 366

receiving immunotherapy with re Delbridge, G. see Fernie, B.A. Dellagi, K. see Louzir, H. Delplace, P. see Banic, D.M. Delves, P.J. see Bodman, K.B. Denburg, J.A. see Finotto, S.

DESSAINT, J.P. see LABALETTE, M. DHARAMPAUL, S. see BELOSEVIC, M.

DIANZANI, F. see AMEGLIO, F. DIRESKENELI, H. see ZAMAN, A.G.

DOBBELSTEEN, M.E.A. VAN DEN, VERHASSELT, V., KAASHOEK, J.G.J., TIMMERMAN, J.J., SCHROEUERS, W.E.M., VERWEIJ, C.L., WOUDE, F.J. VAN DER, ES, L.A. VAN & DAHA, M.R. Regulation of C3 and factor H synthesis of human glomerular mesangial cells by IL-1 and interferongamma, 173

DOHI, K. see AKAI, Y. DOHI, Y. see AKAI, Y.

- DOLOVICH, J. see FINOTTO, S. DONALDSON, V.H. see SHOEMAKER, L.R. DUMONDE, G.R. see ZAMAN, A.G.
- ECHASSERIEAU, K. see BEAUVAIS, F. EDELSTEN, C. see ZAMAN, A.G. EGGENBAUER, H. see FISCHER, M.B.
- EIBL, M.M. see FISCHER, M.B. ELASSAD, A.M.S., YOUNIS, S.A., SIDDIG, M., GRAYSON, J., PETERSEN, E. & GHALIB, H.W. The significance of blood levels of IgM, IgA, IgG and IgG subclasses in Sudanese visceral leishmaniasis patients, 294
- ELLIS, B.A. see ZAMAN, A.G. EMMRICH, F. see WANG, J EREMIN, O. see DEEHAN, D.J. ERICSON, D. see FRIMAN, V ERNST, M. see CSERNOK, E.
- Es, L.A. van see Dobbelsteen, M.E.A. van den Es, L.A. van see Hagen, E.C.
- ESNAULT, V.L.M. see RONDA, N.
- FACER, C.A. & AGIOSTRATIDOU, G. High levels of anti-phospholipid antibodies in uncomplicated and severe Plasmodium falciparum and in P. vivax malaria, 304
- FAIRWEATHER, N. see BARBEY, C. FAIS, S. see AMEGLIO, F.
- FARRANT, J. see NORTH, M.E.
- FARRANT, J. see SCOTT, L.J. FAUBERT, G.M. see BELOSEVIC, M.
- FAZEL, S.B., HOWIE, S.E.M., KRAJEWSKI, A.S. & LAMB, D. Increased CD45RO expression on T lymphocytes in mediastinal lymph node and pulmonary lesions of patients with pulmonary sarcoidosis, 509
- FEEHALLY, J. see LAYWARD, L. FEEHALLY, J. see RONDA, N. FELGENHAUER, K. see MÄDER, M. FENNING, S. see WOLFF-VORBECK, G.
- Fernie, B.A., Hobart, M.J., Delbridge, G., Potter, P.C., Orren, A. & Lachmann, P.J. C6 haplotypes: associations of a Dde I site polymorphism to complement deficiency genes and the Msp I restriction fragment length polymorphism (RFLP), 351
- FIGUEREDO, M.A. see BUSTOS, A. FINOTTO, S., DOLOVICH, J., DENBURG, J.A., JORDANA, M. & MARSHALL, J.S. Functional heterogeneity of mast cells isolated from different
- microenvironments within nasal polyp tissue, 343
 FISCHER, M.B., WOLF, H.M., EGGENBAUER, H., THON, V., VOGEL, E.,
 LOKAJ, J., LITZMAN, J., MANNHALTER, J.W. & EIBL, M.M. The costimulatory signal CD28 is fully functional but cannot correct the impaired antigen response in T cells in patients with common variable immunodeficiency, 209
- FORSYTH, K.D., TALBOT, V. & BECKMAN, I. Endothelial serpinsprotectors of the vasculature?, 277
- FRANK, M.B., ITOH, K. & McCubbin, V. Epitope mapping of the 52-kD Ro/SSA autoantigen, 390
- FRIMAN, V., QUIDING, M., CZERKINSKY, C., NORDSTRÖM, I., LARSSON, L., ERICSON, D., BJÖRKANDER, J., THEMAN, K., KILANDER, A., HOLMGREN, J. & HANSON, L.A. Intestinal and circulating antibodyforming cells in IgA-deficient individuals after oral cholera vaccination, 222
- FUJIMOTO, S. see FUKUSHIMA, A. FUJITA, T. see KUSAKARI, C.
- FUJIWARA, M. see KIMURA, T. FUKUSHIMA, A., UENO, H. & FUJIMOTO, S. Antigenic cross-reactivity between human T lymphotropic virus type I (HTLV-I) and retinal antigens recognized by T cells, 459
- FUNAUCHI, M. see NORTH, M.E. FURTH, R. VAN see WANG, J.
- GALLUCCI, S. see BARTOCCIONI, E.
- GARNER, C.M., RICHARDS, G.M., ADU, D., PALL, A.A., TAYLOR, C.M., RICHARDS, N.T. & MICHAEL, J. Intercellular adhesion molecule-1 (ICAM-1) and vascular cell adhesion molecule-1 (VCAM-1) expression and function on cultured human glomerular epithelial cells,
- GAVALER, J. see THOMSON, A.W. GERSHON, H. see SHAPIRO, S.
- GHALIB, H.W. see ELASSAD, A.M. S.
- GIGASE, P.L. see KESTENS, L.

- GOOD, R.A. see IWAI, H.
- GORDON, S. see HERBEIN, G.
- GRAHAM, E.M. see ZAMAN, A.G.
- GRAY, E. see HOWIE, S.E. M.
- GRAYSON, J. see ELASSAD, A.M. S.
- GREENSPOON, N. see HERSHKOVIZ, R. GROSS, W.L. see CSERNOK, E.
- GROUP, THE BERLIN DIARRHOEA/WASTING SYNDROME STUDY see SCHNEIDER, T.
- GROUP, THE CHILDHOOD DIABETES IN FINLAND STUDY see PARK-KONEN P
- GROUP, THE LEISHMANIA STUDY see LOUZIR, H.
- GUGLIELMI, P. see ROUSSILHON, C.
- GUIALIS, A., PATRINOU-GEORGOULA, M., TSIFETAKI, N., AIDINIS, V., SEKERIS, C.E. & MOUTSOPOULOS, H.M. Anti-5S RNA/protein (RNP) antibody levels correlate with disease activity in a patient with systemic lupus erythematosus (SLE) nephritis, 385
- HACKL, W. see WOLFF-VORBECK, G.
- HADARI, R. see HERSHKOVIZ, R.
- HAGEN, E.C., VIIVER-REENALDA, H. VAN DE, KEIZER, R.J.W. DE, KIJLSTRA, A., ES, L.A. VAN, DAHA, M.R. & WOUDE, F.J. VAN DER. Uveitis and anti-neutrophil cytoplasmic antibodies, 56
- HAMADA, N. see IWAI, H.
- HAMMARSTRÖM, L. see ISLAM, K.B.
- HANSON, L.A. see FRIMAN, V
- HARPER, S.J. see LAYWARD, L
- HARRISON, D.J. see HOWIE, S.E.M.
- HASUI, M., MIYAWAKI, T., ICHIHARA, T., NIIDA, Y., IWAI, K., YACHIE, A., SEKI, H. & TANIGUCHI, N. Mature helper T cell requirement for immunoglobulin production by neonatal naive B cells injected intraperitoneally into severe combined immunodeficient (SCID) mice, 357
- HATTERSLEY, J.M. see LAYWARD, L.
- HAYASHI, A. see KIMURA, T.
- HELSEN, M. see BERG, W.B. VAN DEN
- HERBEIN, G., KESHAV, S., COLLIN, M., MONTANER, L.J. & GORDON, S. HIV-1 induces tumour necrosis factor and IL-1 gene expression in primary human macrophages independent of productive infection,
- HERBST, E.W., ARMBRUSTER, M., RUMP, J.-A., BUSCHER, H.-P. & PETER, H.-H. Intestinal B cell defects in common variable immunodeficiency,
- HERRIOT, R. see DEEHAN, D.J.
- HERSHKOVIZ, R., GREENSPOON, N., MEKORI, Y.A., HADARI, R., ALON, R., KUPUSTINA, G. & LIDER, O. Inhibition of CD4+ T lymphocyte binding to fibronectin and immune-cell accumulation in inflammatory sites by non-peptidic mimetics of Arg-Gly-Asp, 270
- HEYES, S.D. see DEEHAN, D.J.
- HINODA, Y. see SHIJUBO, N. HIRAGA, Y. see SHIJUBO, N.
- HOBART, M.J. see FERNIE, B.A.
- HOLMGREN, J. see FRIMAN, V
- HONDA, Y. see SHIJUBO, N
- HORST, G. see MULDER, A.H. L.
- HOTOKEBUCHI, T. see SAIKAWA, I.
- Howie, S.E.M. see Fazel, S.B.
- HOWIE, S.E.M., SOMMERFIELD, A.J., GRAY, E. & HARRISON, D.J. Peripheral T lymphocyte depletion by apoptosis after CD4 ligation in vivo: selective loss of CD44- and 'activating' memory T cells, 195
- HUGHES, G.R.V. see ZAMAN, A.G.
- HUKUDA, S. see IMAI, S.
- HUNTER, S.D. see KENT, S.J.
- HUTCHINGS, P.R. see BODMAN, K.B.
- HYÖTY, H. see PARKKONEN, P.
- IANCU, T.C. see LERNER, A.
- ICHEN, M. see SOUBRANE, CL. ICHIHARA, T. see HASUI, M.
- IKEHARA, S. see IWAI, H. ILONEN, J. see PARKKONEN, P.
- IMAI, K. see SHIJUBO, N.
- IMAI, S., HUKUDA, S. & MAEDA, T. Neonatal capsaicin pretreatment suppresses intramedullary inflammation in adjuvant-induced spondylitis, 108
- INABA, M.M. see IWAI, H.

INADA S SEE KIMURA T INGEMI, M.C. see CESARE, E. DI ISENBERG, D.A. see RICCHIUTI, V.

ISLAM, K.B., BASKIN, B., CHRISTENSSON, B., HAMMARSTRÖM, L. & SMITH, C.I.E. In vivo expression of human immunoglobulin germ-line mRNA in normal and in immunodeficient individuals, 3

ISMAIL, R. BEN see LOUZIR, H. ITOH, K. see FRANK, M.B.

IWAI, H., DAY, N.K., HAMADA, N., INABA, M.M., IKEHARA, S. & GOOD, R.A. Bone marrow transplantation therapy using resistant donors for retrovirus-induced leukaemia in mice, 135

Iwai, K. see Hasui, M. IWANO, M. see AKAI, Y.

JACOBSON, K. see OEN, K. JARDIEU, P. see ROBBINS, K. JEDDI, P.A. see BODMAN, K.B.

JENNINGS, J.G., CHANG, L. & SAVIGE, J.A. Anti-proteinase 3 antibodies, their characterization and disease associations, 251

JOOSTEN, L.A. B. see BERG, W.B. VAN DEN

JORDANA, M. see FINOTTO, S.

KAASHOEK, J.G. J. see DOBBELSTEEN, M.E.A. VAN DEN

KAJI, H. see KUROKI, Y.

KALLENBERG, C.G. M. see MULDER, A.H.L.

KANATANI, M. see KUROKI, Y.

KANG, H.-S. see CHOI, I.

KANNO, H., TACHIWAKI, O., NOSE, M. & KYOGOKU, M. Immune complex-degradation ability of macrophages in MRL/Mp-lpr/lpr lupus mice and its regulation by cytokines, 115

KATO, M. see KUSAKARI, C.

KAUKONEN, K., SAVOLAINEN, J., VIANDER, M. & TERHO, E.O. Avidity of Aspergillus umbrosus IgG antibodies in farmer's lung disease, 162 KEIZER, R.J.W. DE see HAGEN, E.C.

KEMP, A. see TANG, M.

KENT, S.J., STENT, G., SONZA, S., HUNTER, S.D. & CROWE, S.M. HIV-1 infection of monocyte-derived macrophages reduces Fc and complement receptor expression, 450

KERR, P.G. see LAN, H.Y KESHAV, S. see HERBEIN, G.

KESTENS, L., VANHAM, G., VEREECKEN, C., VANDENBRUAENE, M., VERCAUTEREN, G., COLEBUNDERS, R.L. & GIGASE, P.L. Selective increase of activation antigens HLA-DR and CD38 on CD4+CD45RO+ T lymphocytes during HIV-1 infection, 436

KHAYAT, D. see SOUBRANE, CL. KULSTRA, A. see HAGEN, E.C. KILANDER, A. see FRIMAN, V.

KIMURA, T., SUZUKI, K., INADA, S., HAYASHI, A., SAITO, H., MIYAI, T., OHSUGI, Y., MATSUZAKI, Y., TANAKA, N., OSUGA, T. & FUJIWARA, M. Induction of autoimmune disease by graft-versus-host reaction across MHC class II difference: modification of the lesions in IL-6 transgenic mice, 525

KITAMURA, Y. see AKAI, Y. KOBA, H. see SHIJUBO, N. KÖHN, A. see MÄDER, M. KOHN, D. see SHAPIRO, S.

KOLBUS, N. see MÄDER, M. KRAJEWSKI, A.S. see FAZEL, S.B.

KRAWINKEL, U. see WOLFF-VORBECK, G.

KUMAR, V. see LERNER, A.

KUPUSTINA, G. see HERSHKOVIZ, R. KURNICK, J.T. see PANDOLFI, F.

KUROKI, Y., SHIOZAWA, S., SUGIMOTO, T., KANATANI, M., KAJI, H., MIYAUCHI, A. & CHIHARA, K. Constitutive c-fos expression in osteoblastic MC3T3-E1 cells stimulates osteoclast maturation and osteoclastic bone resorption, 536

Kusakari, C., Nose, M., Takasaka, T., Yuasa, R., Kato, M., Miyazono, K., Fujita, T. & Kyogoku, M. Immunopathological features of palatine tonsil characteristic of IgA nephropathy: IgA1 localization in follicular dendritic cells, 42

KYOGOKU, M. see KANNO, H.

KYOGOKU, M. see KUSAKARI, C.

LABALETTE, M., SALEZ, F., PRUVOT, F.R., NOEL, C. & DESSAINT, J.P. CD8 lymphocytosis in primary cytomegalovirus (CMV) infection of

allograft recipients: expansion of an uncommon CD8+ CD57- subset and it progressive replacement by CD8+ CD57+ T cells, 465

LACHMANN, P.J. see FERNIE, B.A.

LAMB, D. see FAZEL, S.B.

LAN, H.Y., NIKOLIC-PATERSON, D.J., ZARAMA, M., KERR, P.G. & ATKINS, R.C. Suppression of pulmonary injury in experimental 'Goodpasture's syndrome' by deoxyspergualin (DSP), 502 LANE, P. Common variable immunodeficiency: does life begin at 40?,

201

LAOUINI, D. see LOUZIR, H.

LARSSON, L. see FRIMAN, V

LAYWARD, L., ALLEN, A.C., HATTERSLEY, J.M., HARPER, S.J. & FEEHALLY, J. Low antibody affinity restricted to the IgA isotype in IgA nephropathy, 35

LAYWARD, L. see PONDA, N. LEINIKKI, P. see PARKKONEN, P.

LERNER, A., KUMAR, V. & IANCU, T.C. Immunological diagnosis of childhood coeliac disease: comparison between antigliadin, antireticulin and antiendomysial antibodies, 78

LEVY, J.D. see RATKAY, L.G. LIDER, O. see HERSHKOVIZ, R. LIMBURG, P.C. see MULDER, A.H.L. LITZMAN, J. see FISCHER, M.B. LOCKWOOD, C.M. see RONDA, N.

LOKAJ, J. see FISCHER, M.B.

LOO, F.A.J. VAN DE see BERG, W.B. VAN DEN LOUZIR, H., BELAL-KACEMI, L., SASSI, A., LAOUINI, D., ISMAIL, R. BEN. DELLAGI, K. & THE LEISHMANIA STUDY GROUP. Natural autoantibodies, IgG antibodies to tetanus toxoid and CD5+ B cells in patients with Mediterranean visceral leishmaniasis, 479

LÜHRMANN, R. see WOLFF-VORBECK, G.

LYDYARD, P.M. see BODMAN, K.B.

MÄDER, M., KOLBUS, N., MEIHORST, D., KÖHN, A., BEUCHE, W. & FELGENHAUER, K. Human intestinal alkaline phosphatase-binding IgG in patients with severe bacterial infections, 98

MAEDA, T. see IMAI, S.

MAEDA, T. see SAIKAWA, I. MANNHALTER, J.W. see FISCHER, M.B.

MARCO, M. see Bustos, A.

MARRIOTT, J.B. & OLIVEIRA, D.B.G. Serial functional affinity of autoantibodies in anti-glomerular basement membrane disease, 498 MARSHALL, J.S. see FINOTTO, S.

MATSUZAKIY. see KIMURA, T. MAZINGUE, C. see BANIC, D.M. McCabe, S. see Robbins, K.

McCubbin, V. see Frank, M.B. McDouall, R.M., Suitters, A.J., Smith, H., Yacoub, M.H. & Rose, M.L. Increased cyclosporine sensitivity of T cells from cord blood compared with those from the adult, 519

MEIHORST, D. see MÄDER, M.

MEKORI, Y.A. see HERSHKOVIZ, R. MELAMED, I., COHEN, A. & ROIFMAN, C.M. Expansion of CD3+CD4-CD8- T cell population expressing high levels of IL-5 in Omenn's syndrome, 14

MEYER, O. see RICCHIUTI, V. MICHAEL, J. see GARNER, C.M.

MICHAEL, J. see PALL, A.A. MILLER, B. see SHAPIRO, S.

MIYAHARA, H. see SAIKAWA, I. MIYAI, T. see KIMURA, T.

MIYAUCHI, A. see KUROKI, Y MIYAWAKI, T. see HASUI, M.

MIYAZONO, K. see KUSAKARI, C

MOMMAAS, A.M. see PRAAG, M.C.G. VAN

MONTANER, L.J. see HERBEIN, G.

MORIKAWA, K., OSEKO, F. & MORIKAWA, S. Immunosuppressive activity of bromocriptine on human T lymphocyte function in vitro,

MORIKAWA, S. see MORIKAWA, K.

MORIYAMA, T. see AKAI, Y

MOUAWAD, R. see SOUBRANE, CL.

MOUTSOPOULOS, H.M. see GUIALIS, A. MULDER, A.A. see PRAAG, M.C.G. VAN

MULDER, A.H.L., BROEKROELOFS, J., HORST, G., LIMBURG, P.C., NELIS, G.F. & KALLENBERG, C.G.M. Anti-neutrophil cytoplasmic antibodies (ANCA) in inflammatory bowel disease: characterization and clinical correlates, $490\,$

MULLER, S. see RICCHIUTI, V.

NATORI, Y., SHINDO, N. & NATORI, Y. Proteinuria induced by antidipeptidyl peptidase IV (gp108); role of circulating and glomerular antigen, 327

NELIS, G.F. see MULDER, A.H.L. NEYNDORFF, H.C. see RATKAY, L.G.

NIEMANN, H. see BARBEY, C.

NIIDA, Y. see HASUI, M.

NIKOLIC-PATERSON, D.J. see LAN, H.Y.

NOEL, C. see LABALETTE, M.

NORDSTRÖM, I. see FRIMAN, V.

NORTH, M.E., AKBAR, A.N., BORTHWICK, N., SAGAWA, K., FUNAUCHI, M., WEBSTER, A.D.B. & FARRANT, J. Costimulation with anti-CD28 (Kolt-2) enhances DNA synthesis by defective T cells in common variable immunodeficiency, 204

Nose, M. see Kanno, H.

Nose, M. see Kusakari, C.

NÜSSLER, A.K. see THOMSON, A.W.

OBIRI, N.I., SIEGEL, J.P., VARRICCHIO, F. & PURI, R.K. Expression of high affinity IL-4 receptors on human melanoma, ovarian and breast carcinoma cells, 148

OEN, K., DANELL, G., STEWART, S., WILKINS, J., JACOBSON, K. & TAZUMI, K. Adhesion of peripheral blood lymphocytes of children with arthritis to human umbilical vein endothelial cells, 415

OHI, H. & YASUGI, T. Occurrence of C3 nephritic factor and C4 nephritic factor in membranoproliferative glomerulonephritis (MPGN), 316

OHMICHI, M. see SHIJUBO, N.

OHSUGI, Y. see KIMURA, T.

OLIVA, A. see PANDOLFI, F. OLIVEIRA, D.B. G. see MARRIOTT, J.B.

ORREN, A. see FERNIE, B.A. OSEKO, F. see MORIKAWA, K.

OSUGA, T. see KIMURA, T.

PALL, A.A. see GARNER, C.M.

PALL, A.A., VARAGUNAM, M., ADU, D., SMITH, N., RICHARDS, N.T., TAYLOR, C.M. & MICHAEL, J. Anti-idiotypic activity against antimyeloperoxidase antibodies in pooled human immunoglobulin, 257

PANAYI, G.S. Phototherapy—T cell vaccination by any other name?, 363
PANDOLFI, F., BOYLE, L.A., TRENTIN, L., OLIVA, A. & KURNICK, J.T.
T cell receptor gene rearrangements and cytotoxic activities of clones isolated from tumour-infiltrating lymphocytes (TIL) from melanoma patients, 141

Parkkonen, P., Hyöty, H., Ilonen, J., Reijonen, H., Ylä-Herttuala, S., Leinikki, P. & The Childhood Diabetes in Finland Study Group. Antibody reactivity to an Epstein–Barr virus BERF4-encoded epitope occurring also in Asp-57 region of HLA-DQ8 β chain, 287

PATRINOU-GEORGOULA, M. see GUIALIS, A.

PEREIRA, L.F. see Bustos, A.

PETER, H.-H. see HERBST, E.W. PETER, H.H. see WOLFF-VORBECK, G.

PETERSEN, E. see ELASSAD, A.M. S.

PEYRON, F., BURDIN, N., RINGWALD, P., VUILLEZ, J.P., ROUSSET, F. & BANCHEREAU, J. High levels of circulating IL-10 in human malaria, 300

PONARD, D. see ARVIEUX, J. POTTER, P.C. see FERNIE, B.A.

PRAAG, M.C.G. VAN, MULDER, A.A., CLAAS, F.H.J., VERMEER, B.-J. & MOMMAAS, A.M. Long-term ultraviolet B-induced impairment of Langerhans cell function: an immunoelectron microscopic study, 73

Previti, M. see Cesare, E. di Pruun, G. see Ricchiuti, V.

PRUVOT, F.R. see Labalette, M.

PURI, R.K. see OBIRI, N.I. PUSEY, C.D. see REYNOLDS, J.

Pyun, K.-H. see Choi, I.

QUIDING, M. see FRIMAN, V.

RATKAY, L.G., CHOWDHARY, R.K., NEYNDORFF, H.C., TONZETICH, J., LEVY, J.D. & WATERFIELD, J.G. Photodynamic therapy; a comparison with other immunomodulatory treatments of adjuvant-enhanced arthritis in MRL-lpr mice, 373

REJONEN, H. see PARKKONEN, P.

REYNOLDS, J. & PUSEY, C.D. In vivo treatment with a monoclonal antibody to T helper cells in experimental autoimmune glomerulo-nephritis in the BN rat, 122

RICCHIUTI, V., BRIAND, J.P., MEYER, O., ISENBERG, D.A., PRUIN, G. & MULLER, S. Epitope mapping with synthetic peptides of 52-kD SSA/ Ro protein reveals heterogeneous antibody profiles in human autoimmune sera, 397

RICCI, E. see BARTOCCIONI, E.

RICHARDS, G.M. see GARNER, C.M.

RICHARDS, N.T. see GARNER, C.M.

RICHARDS, N.T. see PALL, A.A. RIECKEN, E.O. see SCHNEIDER, T.

RINGWALD, P. see PEYRON, F.

ROBBINS, K., McCabe, S., Scheiner, T., Strasser, J., Clark, R. & Jardieu, P. Immunological effects of insulin-like growth factor-I—enhancement of immunoglobulin synthesis, 337

ROIFMAN, C.M. see MELAMED, I. ROITT, I.M. see BODMAN, K.B.

RONDA, N., ESNAULT, V.L.M., LAYWARD, L., SEPE, V., ALLEN, A., FEEHALLY, J. & LOCKWOOD, C.M. Antineutrophil cytoplasm antibodies (ANCA) of IgA isotype in adult Henoch-Schönlein purpura,

ROOK, G.A.W. see BODMAN, K.B. ROSE, M.L. see McDOUALL, R.M.

ROUSSEL, B. see ARVIEUX, J. ROUSSET, F. see PEYRON, F.

ROUSSILHON, C., AGRAPART, M., GUGLIELMI, P., BENSUSSAN, A., BRASSEUR, P. & BALLET, J.J. Human TcRγδ⁺ lymphocyte response on primary exposure to *Plasmodium falciparum*, 91

RUMP, J.-A. see HERBST, E.W.

SAGAWA, K. see NORTH, M.E.

SAIKAWA, I., HOTOKEBUCHI, T., MIYAHARA, H., TOKITO, T., MAEDA, T., ARITA, C. & SUGIOKA, Y. High-density proteoglycan induces specific suppression of adjuvant-induced arthritis in rats, 424

SAITO, H. see KIMURA, T. SALEZ, F. see LABALETTE, M.

Sassi, A. see Louzir, H.

SATOH, S. see THOMSON, A.W.

SAVIGE, J.A. see JENNINGS, J.G. SAVOLAINEN, J. see KAUKONEN, K.

SCHEINER, T. see ROBBINS, K.

SCHLESIER, M. see WOLFF-VORBECK, G.

SCHMIDT, W. see SCHNEIDER, T.

SCHMITT, W. see CSERNOK, E.

Schneider, T., Ullrich, R., Bergs, C., Schmidt, W., Riecken, E.O., Zeitz, M. & The Berlin Diarrhoea/Wasting Syndrome Study Group. Abnormalities in subset distribution, activation, and differentiation of T cells isolated from large intestine biopsies in HIV infection, 430

SCHROEIJERS, W.E.M. see DOBBELSTEEN, M.E.A. VAN DEN

SCHURMAN, S.J. see SHOEMAKER, L.R.

Scott, L.J., BRYANT, A., Webster, A.D.B. & FARRANT, J. Failure in IgA secretion by surface IgA-positive B cells in common variable immunodeficiency (CVID), 10

SCUDERI, F. see BARTOCCIONI, E.

SEGER, R. see BARBEY, C. SEKERIS, C.E. see GUIALIS, A.

SEKI, H. see HASUI, M.

SEPE, V. see RONDA, N.

SERVIDEI, S. see BARTOCCIONI, E.

SHAPIRO, S., KOHN, D., MILLER, B. & GERSHON, H. Erythrocytes from young but not elderly donors can bind and degrade immune complexand antibody-bound C3 in vitro, 181

SHIGEHARA, K. see SHIJUBO, N.

SHIIKI, H. see AKAI, Y

SHIJUBO, N., IMAI, K., SHIGEHARA, K., HONDA, Y., KOBA, H., TSUJISAKI, M., HINODA, Y., YACHI, A., OHMICHI, M., HIRAGA, Y. & ABE, S. Soluble intercellular adhesion molecule-1 (ICAM-1) in sera and bronchoalveolar lavage fluid of patients with idiopathic pulmonary fibrosis and pulmonary sarcoidosis, 156

- SHINDO, N. See NATORI, Y.
- SHIOZAWA, S. see KUROKI, Y.
- SHOEMAKER, L.R., SCHURMAN, S.J., DONALDSON, V.H. & DAVIS III, A.E. Hereditary angioneurotic oedema: characterization of plasma kinin and vascular permeability-enhancing activities, 22
- SIDDIG, M. see ELASSAD, A.M.S.
- SIEGEL, J.P. see OBIRI, N.I.
- SIMMER, B. see WANG, J.
- SIMPSON, W. see DEEHAN, D.J.
- SMITH, C.I.E. see ISLAM, K.B. SMITH, H. see McDouall, R.M.
- SMITH, N. see PALL, A.A.
- SOMMERFIELD, A.J. see Howie, S.E.M.
- SONZA, S. see KENT, S.J.
- SOUBRANE, CL., MOUAWAD, R., ICHEN, M., SUISSA, J., BOREL, CH., VUILLEMIN, E., BENHAMMOUDA, A., BIZZARI, J.P., WEIL, M. & KHAYAT, D. Follow up of soluble IL-2 receptor level in metastatic
- malignant melanoma patients treated by chemoimmunotherapy, 232 STANFORD, M.R. see ZAMAN, A.G.
- STENT, G. see KENT, S.J.
- STEWART, S. see OEN, K.
- STRASSER, J. see ROBBINS, K.
- SUBIZA, J.L. see BUSTOS, A.
- SUGIMOTO, T. see KUROKI, Y.
- SUGIOKA, Y. see SAIKAWA, I.
- SUISSA, J. see SOUBRANE, CL.
- SUITTERS, A.J. see McDouall, R.M.
- SUMAR, N. see BODMAN, K.B.
- SUZUKI, K. see KIMURA, T.
- TACHIWAKI, O. see KANNO, H.
- TAKASAKA, T. see KUSAKARI, C. TALBOT, V. see FORSYTH, K.D.
- TAMURA, K. see THOMSON, A.W.
- TANAKA, N. see KIMURA, T.
- TANG, M. & KEMP, A. Production and secretion of interferon-gamma (IFN-y) in children with atopic dermatitis, 66
- TANIGUCHI, N. see HASUI, M.
- TAYLOR, C.M. see GARNER, C.M. TAYLOR, C.M. see PALL, A.A.
- TAZUMI, K. see OEN, K.
- TERHO, E.O. see KAUKONEN, K.
- THEMAN, K. see FRIMAN, V.
- THIEL, D.H. VAN see THOMSON, A.W.
- THOMSON, A.W., SATOH, S., NÜSSLER, A.K., TAMURA, K., WOO, J., GAVALER, J. & THIEL, D.H. VAN. Circulating intercellular adhesion molecule-1 (ICAM-1) in autoimmune liver disease and evidence for the production of ICAM-1 by cytokine-stimulated human hepatocytes, 83
- THON, V. see FISCHER, M.B.
- TIERCY, J.M. see BARBEY, C.
- TIMMERMAN, J.J. see DOBBELSTEEN, M.E.A. VAN DEN
- TOKITO, T. see SAIKAWA, I.
- TONALI, P. see BARTOCCIONI, E.
- TONZETICH, J. see RATKAY, L.G.
- TRENTIN, L. see PANDOLFI, F.
- TRENTO, E. see AMEGLIO, F. TSIFETAKI, N. see GUIALIS, A
- TSUJISAKI, M. see SHIJUBO, N.

- UENO, H. see FUKUSHIMA, A. ULLRICH, R. see SCHNEIDER, T.
- VANDENBRUAENE, M. see KESTENS, L. VANHAM, G. see KESTENS, L.
- VARAGUNAM, M. see PALL, A.A.
- VARIGOS, G.A. see BYRON, K.A.
- VARRICCHIO, F. see OBIRI, N.I.
- VERCAUTEREN, G. see KESTENS, L.
- VEREECKEN, C. see KESTENS, L. VERHASSELT, V. see DOBBELSTEEN, M.E.A. VAN DEN
- VERMEER, B.-J. see PRAAG, M.C.G. VAN
- VERWEIJ, C.L. see DOBBELSTEEN, M.E.A. VAN DEN
- VIANDER, M. see KAUKONEN, K.
- VIJVER-REENALDA, H. VAN DE see HAGEN, E.C.
- VOGEL, E. see FISCHER, M.B.
- VUILLEMIN, E. see SOUBRANE, CL.
- VUILLEZ, J.P. see PEYRON, F.
- WALLACE, D.C. see ZAMAN, A.G.
- WANG, J., BEEKHUIZEN, H. & FURTH, R. VAN. Surface molecules involved in the adherence of recombinant interferon-gamma (rIFNy)-stimulated human monocytes to vascular endothelial cells, 263
- WANG, J., YAN, T., SIMMER, B. & EMMRICH, F. The effect of anti-CD4 on helper function of CD4,45RA+ versus CD4,45RO+ T cells, 128
- WATERFIELD, J.G. see RATKAY, L.G.
- WEBSTER, A.D.B. see NORTH, M.E.
- WEBSTER, A.D.B. see SCOTT, L.J.
- WEIL, M. see SOUBRANE, CL.
- WILKINS, J. see OEN, K.
- WOLF, H.M. see FISCHER, M.B. WOLFF-VORBECK, G., HACKL, W., FENNING, S., KRAWINKEL, U., LÜHRMANN, R., PETER, H.H. & SCHLESIER, M. Characterization of an
- HLA-DR4-restricted T cell clone recognizing a protein moiety of small nuclear ribonucleoproteins (UsnRNP), 378
- Woo, J. see THOMSON, A.W
- WOOTTON, A.M. see Byron, K.A.
- WOUDE, F.J. VAN DER see DOBBELSTEEN, M.E.A. VAN DEN
- WOUDE, F.J. VAN DER see HAGEN, E.C.
- YACHI, A. see SHIJUBO, N.
- YACHIE, A. see HASUI, M.
- YACOUB, M.H. see McDouall, R.M.
- YAN, T. see WANG, J.
- YANG, Y. see CHOI, I.
- YASUGI, T. see OHI, H.
- YLÄ-HERTTUALA, S. see PARKKONEN, P.
- YONEMASU, K. see AKAI, Y
- YOUNIS, S.A. see ELASSAD, A.M.S.
- YUASA, R. see KUSAKARI, C.
- ZAMAN, A.G., EDELSTEN, C., STANFORD, M.R., GRAHAM, E.M., ELLIS, B.A., DIRESKENELI, H., D'CRUZ, D.P., HUGHES, G.R.V., WALLACE, D.C. & DUMONDE, G.R. Soluble intercellular adhesion molecule-1 (sICAM-1) as a marker of disease relapse in idiopathic uveoretinitis,
- ZARAMA, M. see LAN, H.Y.
- ZEITZ, M. see SCHNEIDER, T.

Subject Index

5S RNA/protein complex, 385

activation, 277 adhesion molecules, 166, 263 adhesion, 270, 322, 415 adjuvant rat, 108 adjuvant-induced arthritis, 424 affinity, 498 affinity antibody, 35 ageing, 181 AIDS, 430 alkaline phosphatase, 98 allergic alveolitis, 162 allergy, 333 ANCA, 490 angioedema, 22 animal model of autoimmune disease, 525 anti-CD4 antibodies, 195 anti-CD4 monoclonal antibody, 122 anti-CD4, 128 'anti-disease' immunity, 304 anti-GBM, 498 anti-histone antibodies, 408 anti-idiotype, 257 anti-IL-1 antibodies, 237 anti-IgE, 343 anti-myeloperoxidase, 257 anti-neutrophil cytoplasmic antibodies, 49, 56, 251 anti-phospholipid antibodies, 304, 310 anti-tetanus toxoid antibodies, 479 antibodies, 78, 98 antibody deficiency, 209 antiendomysial, 78 antigen presentation, 227 antigen, 337 antigen processing, 227 antigenic cross-reactivity, 459 antigliadin, 78 antireticulin, 78 apoptosis, 195 Aspergillus umbrosus, 162 atopy, 66 autoantibodies, 251, 385, 390, 408 autoantibody, 498 autoimmunity, 49, 103, 122, 390, 408

B cell epitopes, 397
B cell populations, 479
B lymphocytes, 415
bacterial infection, 98
basophil, 191
BN rat, 122
bone marrow transplantation, 135
bradykinin, 22
bromocriptine, 514
bronchoalveolar lavage fluid, 156

 β_2 glycoprotein 1, 310

C3 nephritic factor, 316 C3, 173 C4 nephritic factor, 316 C6 deficiencies, 351 c-fos, 536 Ca²⁺, 191 capsaicin, 108 cartilage destruction, 237 CD28, 204 CD38, 436 CD4 T lymphocytes, 415 CD4+ T cells, 436, 459 CD4⁺ T lymphocytes, 195 CD45 isoforms, 128 CD45, 509 CD45RO, 436 CD57+ cells, 465 CD8+ cells, 465 cerebral malaria, 300 chemoimmunotherapy, 232 childhood, 66 chronic granulomatous disease, 227 CI inhibitor, 22 circulating ICAM-1, 156 circulating antigen, 327 class switching, 3 classical complement pathway, 22 coeliac disease, 78 collagen arthritis, 237 collagen, 530 common variable immunodeficiency, 10, 204, 209, 215 competence factor, 29 complement, 181 complement C6, 351 complement receptors, 450 Crohn's disease, 490 cyclosporin A, 514 cyclosporine, 519 cytokine, 244, 366 cytokines, 83, 128, 455 cytomegalovirus, 465 cytotoxicity, 141

Dde RFLP, 351
decay-accelerating factor, 42
deoxyspergualin, 502
diethylamine, 498
dipeptidyl peptidase IV, 327
double negative CD3+CD4-CD8-T cell, 14

early T cell activation defect, 209
effect of CD28 in CVID, 209
ELISA, 294, 300
endothelium, 60, 277
enhancement, 337
epithelial, 322
Epstein-Barr virus, 287
erythrocytes, 181
experimental arthritis, 373
experimental autoimmune glomerulonephritis, 122

factor H, 173 farmer's lung disease, 162 Fc receptors, 450 fibronectin, 270 FK 506, 514 follicular dendritic cells, 42

G0, 103 germ-line mRNA, 3 *Giardia muris*, 485 glomerular basement membrane, 122 glomerulonephritis, 29, 115 Goodpasture's syndrome, 502 graft-versus-host reaction, 525 H-2b restriction, 472 haplotypes, 351 Henoch-Schönlein purpura, 49 hepatic inflammation, 530 hepatocytes, 83 histamine, 343 histamine release, 191 histopathology, 509 HIV, 442 HIV envelope glycoprotein, 455 HIV-1, 436, 450 HIV-1 infection, 135 HLA class II antigens, 73 HLA molecules, 287 HLA-DR, 436 HTLV-1, 459 human, 98 human endothelial cells, 263 human epidermis, 73 human immunoglobulin, 3 human melanoma, 141 human monocytes, 263 human neonatal B cells, 357

ICAM-1, 83, 166 idiopathic pulmonary fibrosis, 156 idiotype, 257 IFN-7, 66 IgA, 35, 49 IgA deficiency, 222 IgA nephropathy, 35, 42 IgA secretion, 10 IgA subclass, 42 IgE, 333 IgG, 35, 337 IgG and IgG subclasses, 294 IgG avidity, 162 IgG subclass, 310 IL-1, 29, 115, 173, 237 IL-1B, 442 IL-2, 204, 232, 366 IL-3, 191 IL-4, 14, 333 IL-4 receptors, 148 IL-5, 14 IL-6 transgenic mice, 525 IL-6, 525, 530 IL-10, 300, 455 immobilization, 485 immune complex disease, 115 immune complexes, 181 immune dysregulation, 455 immunodeficiency, 3 immunoglobulin, 257 immunoglobulin production, 357 immunology of sarcoidosis, 509 immunomodulation, 373 immunosuppression, 502, 514 impaired response to recall antigen, 209 in situ immune complex, 327 inflammation, 270 inflammatory myopathies, 166 intercellular adhesion molecule-1, 322 interferon-gamma, 14, 173, 263, 333 intestinal immunoglobulins, 215 intestinal mucosa, 222 intestine, 98 intracellular, 66

J chain, 215 juvenile rheumatoid arthritis, 415

kallikrein-kinin system, 22

lactoferrin, 490
Langerhans cells, 73
large intestine, 430
Leishmania donovani, 294
leishmaniasis, 294
lipocytes, 530
liver disease, 83
lymphocyte activation, 283
lymphotoxin, 115
lysis, 485

macrophages, 442, 450 malaria, 91, 304 MALT, 215 mast cell, 343 membranoproliferative glomerulonephritis, 316 memory T cells, 195 mesangial cells, 173 metastatic malignant melanoma, 232 MHC-I, 166 MHC-II, 166 MHC regulation, 148 mice, 103, 337, 373 microenvironment, 343 migration, 270 molecular mimicry, 287, 459 monocytes, 450 Msp I RFLP, 351 mucosal immune response, 222 mucosal immune system, 430 mycobacterial antigens, 103

Na⁺, 191 nasal polyp, 343 natural antibodies, 479 neonatal, 519 nephritis, 385 neurogenic inflammation, 108 neuropeptides, 108 neutrophil, 277

oral cholera vaccination, 222 osteoblast, 536 osteoblast activation, 536

p126, 472
palatine tonsil, 42
phagolysosome, 115
photodynamic therapy, 373
Plasmodium falciparum, 91, 300, 472
platelet-derived growth factor, 29
polyclonal and monoclonal antibodies, 485
polymorphonuclear neutrophils, 244
primary biliary cirrhosis, 83, 525
progression factor, 29
proteinase, 277
proteinase 3, 244, 251
proteinuria, 327
proteinuria, 327
proteoplycan, 424
pulmonary injury, 502

rats, 424
Rauscher leukaemia virus, 135
resistant donor, 135
retinal antigens, 459
reverse transcriptase-polymerase chain reaction, 442
rhIGF-1, 337
rheumatoid arthritis, 536
Ro/SSA, 390

sarcoidosis, 156 SCID mice, 357 secretory component, 215 serpin, 277 Sjögren's syndrome, 397

Subject Index

small nuclear ribonucleoproteins, 378 smoking, 333 solid human tumours, 148

soluble CD8, 283

soluble ICAM-1, 156 soluble IL-2 receptor, 232 soluble intercellular adhesion molecule-1, 60

SSA/Ro antigen, 397 substance P, 108 suppression, 424 synthetic peptides, 397

systemic lupus erythematosus, 310, 385, 390, 397, 408

systemic vasculitis, 49

T cell antigen receptor, 378 T cell clone, 378

T cell differentiation, 430

T cell help, 357

T cell receptor, 14, 141

T cell subsets, 430 T cells, 204, 519

T helper cells, 128

T lymphocyte subsets, 465, 509

T lymphocyte, 514 T lymphocytes, 91, 270

T-B cell conjugate, 128 TcRγδ, 91 tetanus toxin, 227 tetanus toxoid, 35 transfection, 536 transforming growth factor-beta 1, 42 transplantation, 465 tumour growth, 148 tumour necrosis factor, 304 tumour necrosis factor-alpha, 300, 442, 502 tumour-infiltrating lymphocytes, 141 type I (insulin-dependent) diabetes, 283 type 1 diabetes, 287

ulcerative colitis, 490 ultraviolet light, 73 uveitus, 56

vascular cell adhesion molecule-1, 322 vascular leak syndrome, 366 vasculitis, 60 visceral leishmaniasis, 479 von Willebrand factor, 60

Wegener's granulomatosis, 244

